

INDEX MAPS.

T. 38N, R. 7E. 2nd Mer.

Meanders 177

	6	5	4	3	2	1
	<i>N. Boundary of Indiana.</i>					
161	7	8	9	10	11	12 159
	<i>177</i>	<i>177</i>	<i>173</i>	<i>171</i>	<i>168</i>	<i>165</i>
	<i>177</i>	<i>176</i>	<i>172</i>	<i>170</i>	<i>167</i>	<i>164</i>
161	18	17	16	15	14	13 159
	<i>176</i>	<i>175</i>	<i>174</i>	<i>170</i>	<i>167</i>	<i>164</i>
161	19	20	21	22	23	24 158
	<i>175</i>	<i>174</i>	<i>172</i>	<i>169</i>	<i>166</i>	<i>163</i>
160	30	29	28	27	26	25 158
	<i>174</i>	<i>173</i>	<i>171</i>	<i>168</i>	<i>165</i>	<i>162</i>
160	31	32	33	34	35	36 157
	<i>157</i>	<i>156</i>	<i>156</i>	<i>155</i>	<i>155</i>	<i>155</i>

T. 29N, R. 8E. 2nd Mer.

	190	190	190	189	189	189
192	6	5	4	3	2	1 188
	<i>213</i>	<i>212</i>	<i>207</i>	<i>203</i>	<i>200</i>	<i>196</i>
192	7	8	9	10	11	12 188
	<i>212</i>	<i>211</i>	<i>207</i>	<i>203</i>	<i>199</i>	<i>195</i>
192	18	17	16	15	14	13 188
	<i>211</i>	<i>210</i>	<i>206</i>	<i>202</i>	<i>198</i>	<i>195</i>
191	19	20	21	22	23	24 187
	<i>209</i>	<i>210</i>	<i>205</i>	<i>201</i>	<i>198</i>	<i>194</i>
191	30	29	28	27	26	25 187
	<i>209</i>	<i>208</i>	<i>204</i>	<i>201</i>	<i>197</i>	<i>193</i>
191	31	32	33	34	35	36 187
	<i>186</i>	<i>186</i>	<i>186</i>	<i>185</i>	<i>185</i>	<i>185</i>

The figures on the lines refer to the page.

185

Township No 29 North of Range No 8 East of 2nd Mer. Indiana

South Boundary

- West On South Boundary of Sec 36 var. 5° 10' E
- 27.32 An Elm 14 in. diam.
- 40.00 Set a gr. Sec. post from which
a Buck 7 in. diam. bears N. 40° E. 24 links dist, &
a Do 10 " " " N. 10° W. 5 " "
- 65.05 A Buck 7 " "
- 80.00 Set a post cor. to Sec. 35 & 36 from which
a Buck 20 in. diam. bears N. 67° E. 42 links dist, &
a B. Ash 24 " " " N. 60° W. 18 " "
Land level & 2nd water. Timber. Buck. Oak. Spice
and Hickory.

-
- West On South Boundary of Sec 35
- 35.26 A W. Oak 18 in. diam.
- 39.40 A Brook 12 links wide. Course S. W.
- 45.00 Set a gr. Sec. post from which
a Hawthorn 5 in. diam. bears N. 5° E. 14 links dist, &
an Ironwood 5 " " " N. 43° W. 32 " "
- 68.44 A Blue Ash 18 in. diam.
- 70.00 A stream 30 links wide. Course S. E.
- 78.88 Do 25 " " " N. E.
- 79.88 Do 25 " " " S. E.
- 80.00 Set a post cor. to Sec. 34 & 35 from which
a Buck 9 in. diam. bears N. 75° E. 26 links dist, &
a Do 12 " " " N. 70° W. 38 " "
Land the same

-
- West On South Boundary of Sec. 34
- 25.99 A Buck 14 in. diam.
- 40.00 Set a gr. Sec. post from which
an Ironwood 4 in. diam. bears N. 10° E. 30 links dist, &
a Do 8 " " " N. 35° W. 22 " "
- 68.10 A B. Oak 48 " "
- 80.00 Set a post cor. to Sec. 33 & 34 from which
a Cherry 10 in. diam. bears N. 80° E. 11 links dist, &

Twp. N. R. 8. E. 2nd Mer. Indiana.

a W. Oak 4 in. diam. bears N. 70 W. 7 links dist.
Land & same

- Note On South Boundary of Sec 33
 27. 44 An Ironwood 6 in. diam.
 40. 00 Set a gr. Sec. post from which
 an Ironwood 6 in. diam. bears N. 21 E. 17 links dist. &
 a Buckeye 7 " " " N. 5 W. 14 " "
 55. 53 A Stream 16 links wide. Course South
 57. 70 Do 14 " " " N. E.
 59. 70 Do 14 " " " S. E.
 76. 64 A Sugar 21 in. diam.
 80 00 Set a post Cor. to Sec. 32 & 33 from which
 an Ironwood 7 in. diam. bears N. 54 E. 53 links dist. &
 a Do 7 " " " N. 60 W. 32 " "
 Land & same

- Note On South Boundary of Sec 32
 28. 70 A W. Oak 18 in. diam.
 40 00 Set a gr. Sec. post from which
 a Buck 11 in. diam. bears N. 35 E. 18 links dist. &
 a Do 6 " " " N. 40 W. 30 " "
 51 54 A W. Oak 10 in. diam.
 60. 00 Set a post Cor. to Sec. 31 & 32 from which
 a Poplar 10 in. diam. bears N. 54 E. 59 links dist. &
 a Buck 10 " " " N. 52 W. 17 " "

- Note On South Boundary of Sec 31
 29. 12 A Blue Ash 24 in. diam.
 40. 00 Set a gr. Sec. post from which
 a Maple 18 in. diam. bears N. 28 E. 52 links dist. &
 an Elm 24 " " " N. 51 W. 39 " "
 60 50 An Elm 14 " " " "
 70. 90 A Stream 20 links wide. Course South
 71. 89 A Do 19 " " " N. E.
 80 50 Intersect the Range line 49 links North of Temp. post

187

T. A. R. & Co. Ind. Mer. Indiana.

Set a post Cor to Towns 28 + 29 N. R^o 7 + 8 E. Sec.
 1. 6. 31 + 36 from which
 a Buck 18 in. diam. bears N. 11 E. 20 links dist. &
 a Do 20 " " " N. 69 W. 80 " "
 Land level + 2nd rate Timber. Buck Oak. + Hick.
 Undergth Spice + Ironwood.

November 10th 18...

East Boundary

North On East Boundary of Sec 36. var. 6 + 10 E.
 21. 74 A Sugar 11 in. diam.
 29. 87 A W. Oak 40 " "
 40. 00 Set a g. Sec. post from which
 a Buck 15 in. diam. bears S. 36 W. 24 links dist. &
 a Do 17 " " " N. 19 W. 36 " "
 59. 94 A Buck 17 in. diam.
 80. 00 Set a post Cor to Sec. 25 + 36 from which
 an Ironwood 7 in. diam. bears S. 19 W. 4 links dist. &
 a Buckeye 16 " " " N. 11 W. 43 " "
 Land level + 2nd rate Timber. S. Ash. Buck. Oak.
 P. Ash. + Spice.

North On East Boundary of Sec 25.
 19. 95 A Stream 35 links wide. Course N. E.
 29. 35 A Do 15 " " " S. E.
 31. 26 An Ironwood 7 in. diam.
 40. 00 Set a g. Sec. post from which
 a Buck 23 in. diam. bears S. 43 W. 41 links dist. &
 a Do 12 " " " N. 44 W. 36 " "
 61. 97 A Cherry 18 " "
 66. 07 A Stream 25 links wide. Course N. E.
 80. 00 Set a post cor. to Sec. 24 + 25 from which
 a Burr Oak 30 in. diam. bears S. 30 W. 61 links dist. &
 a Sycamore 36 " " " N. 40 W. 20 " "
 Land & same.

North On East Boundary of Sec 24.

T99 A. R. & E. 2nd Mer. Indiana.

21. 11¹ A Lynn 10 in. diam.
 40.00 Set a gr. Sec. post from which
 an Elm 10 in. diam. bears N. 27 W. 20 links dist &
 a B. Ash 12 " " " S 10 W 71 " "
 59. 22 A Buch 22 " "
 80. 00 Set a post Cor. to Sec. 13 & 24 from which
 a Buch 18 in. diam. bears N. 21 W. 35 links dist &
 a Q. 18 " " " S 11 W 32 " "
 Land &c same.

North On East Boundary of Sec. 13

4. 00 To Swamp
 10. 00 Left same
 17. 32 A B. Ash 9 in. diam.
 40. 00 Set a gr. Sec. post from which
 a Sugar 12 in. diam. bears S. 84 W. 18 links dist &
 a Buch 6 " " " N. 11 W. 19 " "
 66. 25 A Q. 20 " "
 80. 00 Set a post cor. to Sec. 12 & 13 from which
 a Maple 10 in. diam. bears S. 25 W. 23 links dist &
 a W. Walnut 12 in. " " N. 11 W 7 " "
 Land &c same

North On East Boundary of Sec. 12

27. 25 A Buckeye 14 in. diam.
 40. 00 Set a gr. Sec. post from which
 a Buch 20 in. diam. bears S. 45 W. 47 links dist &
 an Elm 5 " " " N. 41 W. 27 " "
 63. 46 A Buch 16 " "
 80. 00 Set a post Cor. to Sec. 1 & 12 from which
 a Buch 20 in. diam. bears S. 57 W. 7 links dist &
 a Q. 13 " " " N. 85 W 35 " "
 Land &c same

North On East Boundary of Sec. 1

33. 63 A Cottonwood 30 in. diam.

189

T 29 N. R 8 E 2nd Mer. Indiana.

- 40.00 Set a g. Sec. post. from which
an Ironwood 4 in. diam. bears S. 45 W. 21 links dist. &
a Buck 30 " " " N. 31 W. 29 " "
- 61.76 A D. 24 " "
- 80.00 Set a post cor. to Sect. 26 & 27 from which
Land level & 2nd rate. Timber. S. Ash. Buck
and Oak. Undergr. P. Ash. Ironwood & Spice
November 9th 18.

North Boundary

- Note. On South Boundary of Sec 30 T 30 N R 8 E,
31.85 A W. Oak 19 in. diam.
- 40.00 Set a g. Sec. post from which
a P. Ash 7 in. diam. bears N. 75 E. 3 links dist. &
a D. 21 " " " N. 31 W. 17 " "
- 66.32 A Poplar 6 " "
- 80.00 Set a post cor. to Sect. 35 & 36 from which
a Hickory 20 in. diam. bears N. 32 E. 36 links dist. &
an Ironwood 6 " " " N. 57 W. 5 " "
Land not described

- Note On South Boundary of Sec 35 T 30 N R 8 E,
29.40 A Poplar 18 in. diam.
- 40.00 Set a g. Sec. post from which
a Buck 6 in. diam. bears N. 51 E. 19 links dist. &
a W. Oak 20 " " " N. 85 W. 27 " "
- 77.00 A Linn 14 " "
- 80.00 Set a post cor. to Sect 34 & 35 from which
a Buck 17 in. diam. bears N. 36 E. 26 links dist. &
a D. 14 " " " N. 64 W. 23 " "
Land not described

- Note On South Boundary of Sec 34 T 30 N R 8 E,
38.14 An Elm 15 in. diam.
- 40.00 Set a g. Sec. post from which
a Buck 13 in. diam. bears N. 39 E. 37 links dist. &

T. 29 N. R. 8 E. 2nd Mer. Indians

a Beech 18 in. diam. bears N 86 W 26 lbs dist
 62 95 An Elm 18 " "
 80. 00 Set a post cor. to Sec. 33 & 34 from which
 a Beech 13 in. diam. bears N 74 E. 33 lbs dist &
 a Do 6 " " " N 14 W. 19 " "
 Land not described

Note On South Boundary of Sec. 33 T 30 N R 8 E,
 37. 40 A B. Ash 19 in. diam.
 40. 00 Set a g. Sec. post from which
 an Elm 18 in. diam. bears N. 71 E. 38 links dist &
 a Do 20 " " " N 81 W 15 " "
 53. 40 A Beech 21 " "
 80. 00 Set a post cor. to Sec. 32 & 33 from which
 an Ironwood 5 in. diam. bears N. 41 E. 12 lbs dist
 & a B. Ash 18 " " " N. 76 W. 54 " "
 Land not described

Note On South Boundary of Sec. 32 T 30 N R 8 E,
 25. 00 A S. Ash 18 in. diam.
 40. 00 Set a g. Sec. post from which
 a Beech 10 in. diam. bears N. 37 E. 14 links dist &
 a Do 16 " " " N 84 W. 12 " "
 57. 50 A Sugar 20 " "
 80. 00 Set a post cor. to Sec. 31 & 32 from which
 a Beech 14 in. diam. bears N. 53 E. 20 lbs dist &
 a Do 7 " " " N. 57 W. 42 " "
 Land not described

Note On South Boundary of Sec. 31 T 30 N R 8 E,
 21. 11 A Beech 15 in. diam.
 40. 00 Set a g. Sec. post from which
 a Beech 9 in. diam. bears N. 41 E. 20 links dist &
 a B. Ash 8 " " " N. 74 W. 16 " "
 54. 64 A B. Ash 14 in. diam.
 72. 60 A Stream 30 links wide. Course N. W.

191

T 29 N R 8 E. 2nd Mer. Indiana.

83. 00 Intersect the Range line 74 links South of Post.
 Set a post Cor. to Towns 29 & 30 North Ranges 7 & 8.
 East Sec. 1. 6. 31 & 36 from which
 a Buckeye 13 in. diam. bears N. 12 E. 7 links dist. &
 an Elm 6 " " " N 76 W 20 " "
 Land level 2nd rate. Timber as before

West Boundary. var. 5° 10' E.

North On East Boundary of Sec 30. T 29 N R 7 E.

3. 26 A Stream 10 links wide. Course E.
 6. 50 Do 18 " " " NE.
 21. 40 Do 20 " " " SE.
 23. 40 Do 18 " " " NE
 31. 06 A Sugar 18 in. diam.
 40. 00 Set a g. Sec. post from which
 a Beech 6 in. diam. bears S. 30 W. 12 links dist. &
 a Do 7 " " " N 19 W 45 " "
 61 49 A Beech 15 " "
 80 00 Set a post cor. to Sec. 25 & 36 from which
 a Beech 10 in. diam. bears S. 32 W. 41 links dist. &
 a Do 18 " " " N 53 W 13 " "
 Land not Described.

North On East Boundary of Sec 25 T 29 N. R 7 E.

26. 22 A Beech 20 in. diam.
 40. 00 Set a g. Sec. post from which
 an Ironwood 6 in. diam. bears S. 13 W. 22 links dist. &
 a Beech 16 " " " N 21 W 27 " "
 69. 77 A V. Ash 10 " "
 80. 00 Set a post cor. to Sec. 24 & 25. from which
 a Beech — in. diam. bears S. 20 W. 31 links dist. &
 a Do 8 " " " N 37 W 27 " "
 Land not described

North On East Boundary of Sec 24. T 29 N R 7 E.

23. 33 A Lynn 30 in. diam.

T 29 N. R. 8. E. 2nd Mer. Indiana

40. 00 Set a gr. Sec. post from which
an Elm 8 in. diam. bears S. 12 W. 7 links dist &
a Buck 15 " " " N 57 W 4 " "
43. 00 Enter Fallen Timber
45. 40 A Stream 30 links wide. Course N. W.
55. 00 ~~Enter~~ ^{Leave} fallen Timber.
55. 75 A Sugar 24 in. diam.
- 80 00 Set a post Cor. to Sec. 13 & 24 from which
a Buck 9 in. diam. bears S. 56 W. 55 links dist &
a Co 9 " " " N. 27 W. 25 " "
Land not described

- North On East Boundary of Sec 13 T 29 N R 7 E.
25. 72 A Hickory 16 in. diam.
- 40 00 Set a gr. Sec. post from which a
Buck 12 in. diam. bears S. 60 W 32 links dist &
Co 16 " " " N 88 W 32 " "
56. 72 A Hickory 15 in. diam.
80. 00 Set a post Cor. to Sec. 12 & 13 from which
a Buck 10 in. diam. bears S. 5 W 45 links dist &
a Co 8 " " " N 60 W 7 " "
Land not described.

- North On East Boundary of Sec 12 T 29 N. R 7 E.
26. 78 A S. Ash 14 in. diam.
40. 00 Set a gr. Sec. post from which
a Buck 18 in. diam. bears S. 6 W. 46 links dist &
a Co 6 " " " N. 44 W. 29 " "
63. 96 A Brook 10 links wide. Course N. W.
66. 05 A Sugar 24 in. diam.
80. 00 Set a post Cor. to Sec. 1 & 12 from which
a W. Oak 24 in. diam. bears S. 36 W. 29 links dist &
a Blue Ash 10 " " " N 84 W 20 " "
Land not described

- North On East Boundary of Sec 1. T 29 N. R 7 E.

193

T 29 N. R 8 E. T^h 1st Sec. Indiana.

20. 38 An Elm 16 in. diam.
 40. 00 Set a g. the. post from which
 a Sugar 21 in. diam. bears S. 12° W. 15 links dist. &
 a " 10 " " " S 12° W 31 " "
 61. 74 A Beech 18 " "
 80. 00 Set a Temp^o post Cor. to Towns 29 & 30 N. R^s 7 & 8
 E. Sec^s 6. 31 & 36.

Land not described.

Nov. 12th 1828

Surveyed by
 David Willis D^r.

Subdivisions

- North Between Sec^s 35 & 36
 9. 50 A Beech 20 in. diam.
 40. 00 Set a g. the. post from which
 an Ash 16 in. diam. bears S. 80° E 31 links dist. &
 a Beech 6 " " " S 40° W 26 " "
 45. 52 A Lym 30 " "
 59. 00 A Birch 8 links wide. Course S. E.
 80. 00 Set a post cor. to Sec^s 25. 26. 35 & 36 from which
 a Beech 4 in. diam. bears S. 20° W. 5 links dist. &
 a " 4 " " " S 80° E 6 " "
 Land level. 1st & 2nd rate. Last 1/2 inclining to west.
 Timber. Beech. Ash. Oak. Sugar. &c.

- East On Random between Sec^s 25 & 36
 40. 00 Set a Temp^o g. the. post.
 77. 58 A Birch 6 links wide. Course South.
 80. 56 Intersect E. Boundary 24 links North of the Post.
 Land level. 1st & 2nd rate. Thick Underg^o Timber as
 before

- West Corrected between Sec^s 25 & 36.
 40. 28 Set a g. the. post at aver. dist. from which
 a Hickory 15 in. diam. bears S. 60° E 12 links dist. &
 a " 4 " " " S 40° W 18 " "

J. G. A. P. & E. 2nd Mer. Indiana.

80.56 To Sec. Corner

North Between Sec. 25 & 26

23.60 An Ash 20 in. diam.

40.00 Set a gr. Sec. post from which
an Ash 30 in. diam. bears N. 27 E. 6 links dist &
a Buck 11 " " " S 22 W 28 " "

49.93 An Ash 8 " "

80.00 Set a post cor. to Sec. 23. 24 25 & 26 from which a
an Ash 9 in. diam. bears S. 49 E. 21 links dist &
a Po 15 " " " N. 61 E. 15 " "Sand level 2nd rateEast On Random between Sec. 24 & 25 May 19th 182840.00 Set a Temp.^{ry} gr. Sec. post.

58.00 A Buck 8 links wide. Course South.

80.49 Intersect the N + S line or E. Boundary 2.39 links
North of the Post.Land level + 2nd rate. Timber. Buck. Oak.Ash. Hickory. Sugar &c. Underg. the Ironwood
W. Buck. &c.

Note Corrected between Sec. 24 & 25.

40.24 Set a gr. Sec. post at area. dist from which
a Buck 12 in. diam. bears S. 58 W. 15 links dist &
a Po 18 " " " N 84 E 69 " "

80.49 To Sec. Corner

North Between Sec. 23 & 24

0.90 A Buck 12 in. diam.

40.00 Set a gr. Sec. post from which
an Ash 14 in. diam. bears N. 44 E. 7 links dist &
a Buckeye 10 " " " S 59 E 8 " "

51.81 A Buck 12 " "

80.00 Set a post cor. to Sec. 13. 14 23. & 24 from which
an Ironwood 4 in. diam. bears S 42 E 8 links dist &

195

S 29 N. R. 8 E 2nd Mer. Indiana.

a Hickory 15 in. diam. bears S 58 W 17 links dist
Land level & 2nd rate. Timber. Beech. Oak. Ash.
Sugar. Hickory. Sugar. Poplar. &c.

East On a Random between Sec. 13 & 24
40.00 Set a Vamp.³ g. Sec post,
80 21 Intersect N. E line or E. Boundary 20 links South of
the Post.
Land level & 2nd rate. Timber. Beech. Oak.
Hickory. Poplar. Sugar. &c.

West Corrected between Sec. 13 & 24
40.10 Set a g. Sec. post at aver. dist. from which
a Beech 17 in. diam. bears N. 47 W. 10 links dist. &
a Co 15 " " " S 41 W 19 " "
80 21 To Sec. Corner.

North Between Sec. 13 & 14.
9.92 A Buckeye 12 in. diam.
40 00 Set a g. Sec post from which
a Buckeye 9 in. diam. bears S. 41 E. 11 links dist. &
a Beech 9 " " " N. 7 W. 15 " "
41 48 A Co 20 " "
80.00 Set a post cor. to Sec. 11. 12. 13 & 14 from which
a B. Ash 19 in. diam. bears N. 57 E. 32 links dist. &
a Lynn 7 " " " S. 3 E. 42 " "
Land level and good 2nd rate. Timber Beech
& Walnut.

East On Random between Sec. 12 & 13
40 00 Set a Vamp.³ g. Sec post.
80 00 Intersect E. Boundary 50 links South of the Post
Land level. 1st 1/2 mile good 2nd rate. East 1/2 1st
rate. Timber. Beech. Ash. Oak. Walnut.
Poplar. Sugar. &c. Undergth. Spice. Dogwood &
Sugar.

T 29 N. R 8 E 2nd Mer. Indiana

West Corrected between Sec. 12 & 13
 40.00 Set a gr. Sec. post at aver. dist. from which
 an Elm 8 in. diam. bears S. 69 E. 6 links dist. &
 an Ironwood 3 in. " " N. 76 W. 5 " "

80.07 To Sec. Corner.

North Between Sec. 11 & 12

21.00 A Sugar 15 in. diam.

40.00 Set a gr. Sec. post from which
 an Ash 7 in. diam. bears S. 13 E. 49 links dist. &
 a Buckeye 4 in. " " N. 80 W. 8 " "

54.08 An Ash 24 " "

80.00 Set a post cor. to Sec. 1. 2. 11 & 12 from which
 a W. Oak 6 in. diam. bears S. 10 E. 8 links dist. &
 a Sugar 6 " " " S. 59 E. 32 " "
 Land level. 1st & 2nd rate. Last 1/2 inclining to
 wet. Timber. Beech. Oak. Ash. Sugar. Walnut.
 Poplar. Spice. &c.

East On Range between Sec. 1 & 2

13.25 A brook 8 links wide. Course South.

40.00 Set a Temporary gr. Sec. post.

80.54 Intersect E. Boundary 1.50 links South of the Post.
 Land level. 1st & 2nd rate. Timber as before.

West Corrected between Sec. 1 & 2.

40.27 Set a gr. Sec. post at aver. dist. from which
 a Birch 16 in. diam. bears N. 36 E. 31 links dist. &
 a Sugar 8 " " " S. 30 W. 12 " "

80.54 To Sec. Corner.

North Between Sec. 1 & 2

40.00 Set a gr. Sec. post. from which
 a Hickory 9 in. diam. bears S. 37 E. 22 links dist. &
 an Ash 15 " " " N. 65 E. 14 " "

56.53 A W. Oak 15 " "

T 29 N. R 8 E. 2nd Mer. Indiana.

197

32. 65 Intersect the North Boundary 1.16 links W. of Post.
 Set a post cor. to Sec. 1. & 2 from which
 an Elm 18 in. diam. bears N. 19 W. 14 links dist. &
 a Buck 18 " " " S. 65 E. 18 " "
 Land 2nd rate. Timber. Buck. Poplar. Sugar.
 Hickory. Oak. Walnut. Underg. Spice. Dogwood &

North Between Sec. 34 & 35.

1. 00 A Brook 16 links wide. Course S E.

1. 50 A W. Oak 30 in. diam.

11. 00 A Brook 12 links wide. Course S W.

40. 00 Set a gr. Sec. post from which
 a Buck 15 in. diam. bears S. 40 W. 57 links dist. &
 a Do 6 " " " N 60 W 8 " "

43. 20 An Ash 24 " "

75. 00 A Brook 10 links wide. Course S E.

80. 00 Set a post cor. to Sec. 26. 27. 34 & 35 from which
 a Buck 12 in. diam. bears South 23 links dist. &
 a Do 10 " " " S. 71 E. 22 " "
 Land a little broken. good 2nd rate.

East On Road between Sec. 26 & 35.

40. 00 Set a Temp. gr. Sec. post.

79. 50 Intersect N & S. line 16 links South of the Post.
 Land level. 2nd rate.

Note Corrected between Sec. 26 & 35.

39. 75 Set a gr. Sec. post at aver. dist. from which
 an Ironwood 6 in. diam. bears N. 80 W. 5 1/2 links dist. &
 a Buck 12 " " " S 45 E 39 " "

79. 50 To Sec. Corner.

North Between Sec. 26 & 27.

15 80 A Lumn 24 in. diam.

40. 00 Set a gr. Sec. post in Willow Swamp from which
 a B. Oak 12 in. diam. bears S. 10 W. 16 links dist. &

T 29 N R 8 E 2nd Mer. Indian

a Poplar 15 in. diam. bears N 85 E 14 lks. dist.
 53.50 An Ash 24 " "
 80.00 Set a post cor. to Sec. 22, 23, 26 & 27 from which
 a Sycamore 12 in. diam. bears S. 58 E. 21 links dist. &
 an Ash 10 " " " N 80 W 5 " "
 Land level & swampy

East On Random between Sec. 23 & 26
 40.00 Set a Temp. q. Sec. post.
 80.00 Intersect N & S line 55 links North of the Post.
 Land level & rich timber. Walnut, Poplar,
 Sugar. Ash. Hickory, &c. Undergrowth Dogwood,
 Beech, Maple, &c.

West Corrected between Sec. 23 & 26 May 19th
 40.00 Set a gr. Sec. post at aver. dist. from which
 a Hickory 20 in. diam. bears S. 5 E 5 links dist. &
 a Buckeye 12 " " " N 60 E 13 " "
 50.00 To Sec. Corner

North Between Sec. 22 & 23
 10.50 A Maple 24 in. diam.
 40.00 Set a gr. Sec. post from which
 an Ash 18 in. diam. bears S. 3 E 20 links dist. &
 a Hickory 6 " " " N 65 E 21 " "
 55.98 A W. Oak 30 " "
 80.00 Set a post cor. to Sec. 14, 15, 22 & 23 from which
 a W. Oak 24 in. diam. bears S. 10 W. 25 links dist. &
 a Sugar 12 " " " S. 83 W. 18 " "
 Land level & 2nd rate. some swamps. Timber. Oak,
 Ash. Hickory. Poplar, Beech.

East On Random between Sec. 14 & 23.
 40.00 Set a Temp. q. Sec. post
 80.50 Intersect N & S line 15 links North of the Post.
 Land level, inclining to West timber same as last

199

T 29 N. R 8 E. 2nd Mer. Indiana.

West Corrected between Secs 14 & 23.
 40. 25 Set a q. Sec. post at aver. dist from which
 an Ash 10 in. diam. bears S 5 W. 11 links dist, &
 a Do 8 " " " East 9 " "
 50. 50 To Sec. corner.

North Between Secs 14 & 15.
 5. 50 A W. Oak 24 in. diam.
 40. 00 Set a q. Sec. post from which (in swamp)
 a Maple 20 in. diam. bears S. 73. W. 10 links dist, &
 a Do 12 " " " S 82 E 10 " "
 51. 75 A Walnut 20 " "
 50. 00 Set a post cor. to Secs 10. 11. 14 & 15 in swamp
 from which a
 Maple 24 in. diam. bears N. 16 E. 12 links dist, &
 an Ash 18 " " " N 75 W 14 " "
 Land level & wet.

East On Random between Secs 11 & 14.
 40. 00 Set a Temp. q. Sec. post in Willow swamp.
 50. 50 Intersect N & S line 200 links North of the Post.
 Land level. 2nd pr rich.

West Corrected between Secs 11 & 14.
 40. 25 Set a q. Sec. post at aver. dist, from which
 a Birch 15 in. diam. bears S. 44 E. 22 links dist, &
 a Do 12 " " " N 88 W 28 " "
 50. 50 To Sec. Corner.

North Between Secs 10 & 11.
 9. 50 A Cottonwood 24 in. diam.
 40. 00 Set a q. Sec. post from which
 a Ironwood 6 in. diam. bears S. 23 W. 8 links dist, &
 a Buckeye 4 " " " N 50 E 2 " "
 67. 60 A W. Oak 12 " "
 50. 00 Set a post cor. to Secs 2. 5. 10 & 11 from which

T. 29. N. R. 8. E. 2nd Mer. Indiana.

an Ash 10 in. diam. bears S. 24 W. 4 links dist. &
 a Do 6 " " " N. 13 W. 21 " "
 Land level wet & swampy. interspersed with
 some good land.

East On Random between Sec. 2 & 11.

40. 00 Set a Temp. g. Sec. post.

80. 30 Intersect the N & S line 190 links North of Post.
 Land swampy.

West Corrected between Sec. 2 & 11.

40 15 Set a g. Sec. post at aver. dist. from which
 a Hickory 20 in. diam. bears S. 20 W. 9 links dist. &
 an Elm 15 " " " S 75 E 19 " "

80. 30 To Sec. Corner. May 20th 1828.

North Between Sec. 2 & 3

27. 40 A Beech 10 in. diam.

40 00 Set a g. Sec. post from which
 a Beech 18 in. diam. bears S. 76 E. 12 links dist. &
 an Ironwood 7 " " " N 30 E 20 " "

45. 40 A Brook 8 links wide. Course S.E.

49. 04 An Ash 20 in. diam.

78. 43 Intersect North Boundary 1.77 links West of Post.

Set a post cor. to Sec. 2 & 3. from which
 a Beech 8 in. diam. bears S. 74 E. 12 links dist. &
 a Do 9 " " " S 84 W. 19 " "

Land level & 2nd rate. Timber as before.

May 22. 1828

North Between Sec. 33. & 34

7. 00 A W. Oak 40 in. diam.

40 00 Set a g. Sec. post from which
 an Ash 5 in. diam. bears S. 44 E. 5 links dist. &
 a W. Oak 7 " " " N 47 W 14 " "

54. 70 A Beech 5 in. diam.

201

T 29 N. R. 8 E 2nd Mer. Indiana.

80. 00 Set a post cor. to Sec. 27 28. 33 + 34. from which
 a Beech 10 in. diam. bears N. 18 E 20 links dist, &
 a Sugar 12 " " " N 79 W 24 " "
 Sand level 2nd rate. Timber. Beech. Ash. Oak. Sugar.
 Poplar. Hickory. &c. Underg. * Spice & Cinnamon. Ironwood.

East On Random between Sec. 27 + 34.
 16. 80 A Brook 8 links wide. Course S E.
 40. 00 Set a Vimp^o gr. Sec. post.
 71. 30 A Brook 7 links wide. Course South.
 80. 16 Intersect N + S line 98 links North of the Post.
 Sand level + 2nd rate. Timber as before.

West Corrected between Sec. 27 + 34.
 40. 08 Set a gr. Sec. post at an end dist. from which
 an Elm 14 in. diam. bears N. 15 W. 16 links dist, &
 a Beech 10 " " " S. 10 E 18 " "
 80. 16 To Sec. Corner.

North Between Sec. 27 + 28.
 25. 10 A Beech 18 in. diam.
 40. 00 Set a gr. Sec. post from which
 a Beech 12 in. diam. bears S. 10 E 15 links dist, &
 a Po 12 " " " N. 50 W. 14 " "
 40. 14 A Beech 12 " "
 80. 00 Set a Post cor. to Sec. 21. 22. 27 + 28 from which
 a Beech 12 in. diam. bears S. 60 W. 21 links dist,
 & a Po 11 " " " N. 30 W. 27 " "
 Sand rolling + 1st rate. Timber. Beech. Oak. &
 Poplar. Walnut. Sugar. Elm. &c. Underg. * Spice

East On Random between Sec. 22 + 27.
 40. 00 Set a Vimp^o gr. Sec. post.
 80. 45 Intersect N + S line 169 links S. of the Post.
 First 1/2 mile 2nd rate Land. Last 1/2 mile
 inclining to 1st Timber. Beech. Ash. Oak. Elm. & Sugar.

Twp. N. R. 8 E. 2nd Mer. Indiana.

West Corrected between Sec. 22 & 27.
 40.22 Set a q. Sec. post at aver. dist^s from which
 an Ash 20 in. diam. bears N. 52 E. 11 links dist^s &
 a Maple 11 " " " S 19 W 13 " "
 80.45 To Sec. Corner.

North Between Sec. 21 & 22.
 15.50 An Ash 24 in. diam.
 40.15 Set a q. Sec. post from which
 an Elm 18 in. diam. bears N. 29 W. 11 links dist^s &
 an H. Oak 5 " " " N 82 E 13 " "
 85.50 A B. Oak 24 " "
 80.17 Set a post cor. to Sec. 21 22. 15 & 10 from which
 a Maple 12 in. diam. bears N. 70 E. 22 links dist^s &
 an Elm 16 " " " S. 30 W. 11 " "
 Land 1¹/₂ mile 2nd rate. Last 1/2 met. Timber.
 Buck. Oak. Sugar. Hickory. Ash. &c.

East On Random between Sec. 25 & 22.
 40.17 Set a Tem p. q. Sec. post.
 80.76 Intersect the N & S line 17 links E. of the Post.
 Land 1¹/₂ mile met. Last 1/2 mile good 2nd rate.
 May 21st 1828.

West Corrected between Sec. 25 & 22.
 40.38 Set a q. Sec. post at aver. dist^s from which
 a Cherry 9 in. diam. bears N. 45 E. 8 links dist^s &
 a Buck 10 " " " N. 25 W. 17 " "
 80.76 To Sec. Corner

North Between Sec. 15 & 10.
 23.23 An Elm 8 in. diam.
 40.00 Set a q. Sec. post from which
 a Buck 10 in. diam. bears N. 65 E. 10 links dist^s &
 a Sugar 10 " " " S. 34 E. 17 " "
 52.18 A Buck 24 " "

203

T 29 N R 8 E 2nd Mer. Indiana

80. 00 Set a Post cor. to Secs 9 10 15 45 from which
 an Ironwood 8 in. diam. bears N 20 E 13 lks. dist. &
 an Ash 11 " " " N 36 W 14 " "
 First 1/2 mile net & swampy. Last 1/2 rolling 2nd
 rate. Timber. Oak. Sugar. Walnut. Poplar. &c.
 Undergth. Spice &c.

East On Random between Secs 10 45.

12. 00 A Brook 7 links wide. Course S E.

40. 00 Set a Temp^o q^r Sec. Post.

80. 95 Intersect the N 7 S line 2 7/3 links S. of the Post.
 Land level. 2nd rate. Last 1/2 net. Timber. Beech
 Oak. Ash. Hickory. Undergth. Dogwood. Maple &c.

West Connected between Secs 10 45.

40 47 Set a q^r Sec. post at aver. dist. from which
 a W. Walnut 7 in. diam. bears N 72 E 14 lks. dist. &
 an Ash 5 " " " N 50 W 9 " "

80. 95 To Sec. Corner

North Between Secs 9 45.

0. 80 An Elm 2 1/2 in. diam.

29. 00 A Brook 9 links wide. Course S E.

40. 00 Set a q^r Sec. post from which
 an Ironwood 9 in. diam. bears N 5 E 19 lks. dist. &
 a Do 7 " " " S 77 W 6 " "

55 80 An Elm 20 " "

80 00 Set a post cor. to Secs 3 4. 9 40 from which
 a Sugar 20 in. diam. bears N 59 E 17 lks. dist. &
 an Elm 11 " " " N 38 W 21 " "
 Land level. 1st 1/2 mile inclining to Mt.
 2nd 1/2 dry good 2nd rate. Timber. Beech Oak
 Ash. Sugar. &c. Undergth. Spice. Ironwood
 Dogwood. Maple &c.

East On Random between Secs 3 45.

T. 29 N. R. 8. E. 2nd Mer. Indiana

40. 00 Set a Temp. or Sec. post.
 79. 55 Intersect N & S line 46 links North of the Post.
 Land level and of a good quality Timber.
 Beech. Ash. Oak Sugar. &c. Underg. Spice.
 Hickory. Maple &c.

West Cornered between Secs. 3 & 4
 39. 78 Set a g. Sec. post at aver. dist. from which
 an Ironwood 9 in. diam. bears S 15 E 12. the dist. &
 a Beech 14 " " " N 53 W 26 " "
 79. 55 To Sec. corner.

North Between Secs. 3 & 4 May 22^d 1828.
 25. 22 An Ash 20 in. diam.
 40. 00 Set a g. Sec. post from which
 a W. Oak 12 in. diam. bears N. 78 W. 22 the dist. &
 a Hickory 15 " " " N 5 E 15 " "
 72. 26 A Beech 15 " "
 79. 95 Intersect the North Boundary at the Cor. of Sec.
 33 & 34.
 Land good 2nd rate. Timber. Beech. Sugar.
 Walnut Oak. Elm &c.

North Between Secs. 32 & 33
 10. 06 A Beech 20 in. diam.
 40. 00 Set a g. Sec. post from which
 a Beech 10 in. diam. bears S. 45 E. 18 links dist. &
 a Co. 8 " " " N. 30 E. 26 " "
 53. 00 An R. Oak 18 in. diam.
 80. 00 Set a post cor. to Secs. 28. 29. 32 & 33. from which
 a W. Oak 24 in. diam. bears N. 53 E. 19 links dist. &
 a Hickory 10 " " " N. 45 W. 4 " "
 Land level. 2nd swampy. Timber. Ash. Syc.
 Hickory. Walnut. &c. Underg. Spice. &c.

East On Random between Secs. 28 & 33

205

T. 29 N. R. 8. E. 2nd Mer. Indiana.

40. 00 Set a Temp^g q. Sec. post.
 79. 60 Intersect the N & S line 12 links North of the Post.
 Land level 1st 1/2 mile. wet & swampy. Last 1/4 2nd rate.

West Corrected between Secs. 28 & 33
 39. 80 Set a q. Sec. post at aver. dist. from which
 a Beech 18 in. diam. bears S. 43 E. 21 links dist. &
 a Q. 6 " " " " N 30 E 16 " "
 79. 60 To Sec. Corner

North Between Secs. 28 & 29.
 1. 20 A W. Oak 24 in. diam.
 40. 00 Set a q. Sec. post from which
 a W. Oak 20 in. diam. bears S. 53 E. 13 links dist. &
 a W. Oak 40 " " " S 20 W 25 " "
 45. 00 To Miller Swamp 500 wide & East a considerable
 distance.
 60. 10 A Hickory 18 in. diam.
 80. 00 Set a post Cor. to Secs. 20. 21. 28 & 29 in large
 Miller Swamp from which
 a Miller 6 in. diam. bears S. 31 W 19 links dist. and
 a Q. 4 " " " N. 10 W. 4 " "
 Land 1st 1/2 mile 2nd rate. Last 1/4 swampy.

East On Random between Secs. 21 & 28
 40. 00 Set a Temp^g q. Sec. post
 79. 68 Intersect N & S line 54 links South of the Post.
 Land level & poor. Vintner Oak.

West Corrected between Secs. 21 & 28
 39. 84 Set a q. Sec. post at aver. dist. from which
 a Beech 18 in. diam. bears N 87 E 10 links dist. &
 a Q. 9 " " " S 87 E 21 " "
 79. 68 To Sec. Corner.

North Between Secs. 20 & 21.

T 29 A R 8 E 2nd Mer. Indiana

40. 00 Set a gr. Sec. post in swamp which commenced at the last corner where
 a Maple 8 in. diam. bears N. 70 W. 7 links dist. &
 a Do 5 " " " N 55 E 34 " "
 50. 00 Set a post con. to Sec. 16, 17, 20, & 21 from which
 a Beech 10 in. diam. bears N. 12 E. 13 links dist. &
 a W. Oak 16 " " " S 58 W. 31 " "
 Land one continued swamp.

- East On Random between Sec. 16 & 21
 40. 00 Set a Temp. gr. Sec. post.
 55. 00 A Small Prairie. Perhaps 500 wide
 79. 00 Intersect the N & S line 1 1/4 links North of Post.
 Land 1 1/4 mile 2nd rate. 2nd rate.
 May 21st 1828

- West Corrected between Sec. 16 & 21
 39. 50 Set a gr. Sec. post at a rec. dist. from which
 an Ash 20 in. diam. bears N. 77 W. 28 links dist. &
 an Elm 24 " " " S 6 W 38 " "
 79. 00 To Sec. Corner.

- North Between Sec. 16 & 17
 3. 30 A W. Oak 48 in. diam.
 40. 00 Set a gr. Sec. post from which
 a Walnut 8 in. diam. bears S. 28 W. 7 links dist. &
 a Hickory 4 " " " N 76 E 10 " "
 57. 90 A W. Oak 40 " "
 80. 00 Set a post con. to Sec. 8, 9, 16 & 17 from which
 an Elm 48 in. diam. bears N. 40 E. 11 links dist. &
 a Beech 4 " " " S 80 W 7 " "
 Land rolling 1 1/4 mile good 2nd rate. Last 1/2 3rd rate. with some swamp. Timber. Oak. Ash. Elm. Hickory. Walnut. Poplar &c. Undergth Spruce. Ash Sugar. &c. &c.

207

T29 N. R. & E. 2nd Mer. Indiana.

East On Random between Sec. 9 & 10.
 23. 00 A Brook 6 links wide. Course South.
 40. 00 Set a Temp^o gr. Sec. post
 53 00 A Brook 8 links wide. Course S W.
 79 00 Intersect N & S line 2. 20 links North of the Post.
 Land rolling & rich. Timber. Walnut. Poplar.
 Elm. Syc. &c.

West Corrected between Sec. 9 & 10
 39. 50 Set a gr. Sec. post at aver. dist. from which
 an Ash 16 in. diam. bears N. 50 E. 21 links dist. &
 a Buck 8 " " " S 38 E. 12 " "
 79. 00 To Sec. Corner.

North Between Sec. 8 & 9
 3. 25 A Hickory 20 in. diam.
 40 00 Set a gr. Sec. post from which
 a Buck 5 in. diam. bears S. 21 W. 34 links dist. &
 an Elm 24 " " " S 71 E 24 " "
 47. 00 A Sugar 20 " "
 80. 00 Set a post cor. to Sec. 4. 5. 8 & 9 from which
 an Ash 12 in. diam. bears S. 38 W. 18 links dist. &
 a Buck 4 " " " N 26 W 18 " "
 Land level & 2nd rate but interspersed with
 large swamps. Timber Oak & Buck.

East On Random between Sec. 4 & 9
 40. 00 Set a Temp^o gr. Sec. post.
 60. 00 A Brook 8 links wide. Course S W.
 80. 25 Intersect the N & S line 2. 50 links North of Post.
 Land level & good 2nd rate

West Corrected between Sec. 4 & 9
 41. 12 Set a gr. Sec. post from which (at aver. dist.)
 a Buck 5 in. diam. bears S 40 W 20 links dist. &
 a Co 6 " " " N 31 W 12 " "

T. 29. N. R. 8 E 2. nd Mer. Indiana.

80.25 To Sec. Corner.

North Between Secs 4 & 5.

6. 00 A Spruce 24 in. diam.

40. 00 Set a gr. Sec. post from which

a Spruce 24 in. diam. bears S 35 E 22 links dist, &

a Birch 5 " " " N 54 E 16 " "

47. 75 An Ash 24 " "

77. 50 Intersect North Boundary 70 links West of the Post.

Set a post cor. to Secs 4 & 5 from which

a W. Oak 30 in. diam. bears N 84 E 16 links dist, &

a Birch 16 " " " S 42 W 18 " "

Land 1 ¹/₂ mile rolling 2nd rate. Last ¹/₂ level
inclining to net May 22^d 1828

North Between Secs 31 & 32

17. 70 A Hickory 20 in. diam.

40 00 Set a gr. Sec. post from which

a Hickory 12 in. diam. bears S 59 W 13 links dist,

a Birch 5 " " " S 12 E 25 " "

45 00 To Miller Swamp, perhaps 1000 wide

77. 30 A W. Oak 30 in. diam.

80 00 Set a post cor. to Secs 29, 30, 31 & 32 from which

a Birch 12 in. diam. bears S 33 E 13 links dist, &

a W. Oak 30 " " " N 70 W 25 " "

Land 1 ¹/₂ mile 2nd rate & net. Last ¹/₂ mile 2nd rate

East On Random between Secs 29 & 32

40 00 Set a Temp^l gr. Sec. post

80 75 Intersect N & S line 55 links E. of the Post

Land level & 2nd rate. same swamp not large
Timber. Birch. Ash, Sugar. Spice. Ironwood
Dogwood. Maple &c.

West Corrected between Secs 29 & 32

40 37 ¹/₂ Set a gr. Sec. post at aver. dist. from whichComp^d

209

T29. N. R. 8 E 2nd Mer. Indiana

a W. Oak 30 in. diam. bears S. 70 W. 17 links dist, &
 a Beech 10 " " " S. 71 E 9 " "
 80 75 To the Corner.

West Between Sec. 30 & 31
 15 30 A Beech 15 in. diam.
 40 00 Set a q. Sec. post from which
 a Beech 20 in. diam. bears N. 78 E. 18 links dist, &
 a Co 15 " " " S. 18 E 32 " "
 58 75 An Ash 12 " "
 82. 54 Intersect West Boundary at corner of Sec. 25 & 35
 Land 2nd rate. Timber same as last mile.

North Between Sec. 29 & 30
 40. 00 Set a q. Sec. post 7.50 links West of the true
 line at margin of an inaccessible swamp.
 made Cor. and marked the distance to a Maple
 10 in. diam. bears N. 80 W. 15 links dist, & an Ash
 6 " " " S. 35 W. 5 " "
 43. 80 An Elm 24 in. diam.
 80 00 Set a post cor. to Sec. 19. 20. 29. & 30 from which
 a Beech 8 in. diam. bears N. 23 W. 20 links dist, &
 a Co 10 " " " N. 54 E 20 " "
 Land level & good 2nd rate. except a large swamp.

West Between Sec. 19 & 30
 5. 00 A W. Oak 36 in. diam.
 40. 00 Set a q. Sec. post from which
 a Beech 6 in. diam. bears N. 24 E. 7 links dist, &
 a Sugar 18 " " " S. 62 W. 14 " "
 52 00 A Brook 8 links wide. Course N. W.
 58. 30 An Elm 36 in. diam.
 81. 24 Intersect the West Boundary 10 links South of
 the Post. Set a post cor. to Sec. 19 & 30 from which
 a Beech 10 in. diam. bears N. 88 E. 20 links dist, &
 a Co 8 " " " S. 30 E 30 " "

T 29 N. R. 8 E 2nd Mer. Indiana

Land rolling somewhat, 2nd rate soil very good
 Timber. Birch. Sugar. Hickory. Elm. Spice &c

East On Random between Sec. 20 & 29

37.50 Enter very close Willow swamp which continues
 East to the sec. Corner

40.00 Set a gr. Sec post Considering it impossible to
 run through the swamp & correct Wab with
 a Maple 5 in. diam. bears S 32 E. 8 lks. dist.
 & a Maple 6 in. diam. bears N 40 W 6 lks. dist.
 There is a chain of swamps commencing near
 the N E corner of this Township and extending
 to the S. E. R. which seem to form branches
 and mostly empty into Eel River.

North Between Sec. 19 & 20

40.00 Set a gr. Sec. post from which
 a Hickory 3 in. diam. bears S 34 W 3 lks. dist. &
 an Elm 5 " " " " N 5 E 15 " "

52.6 A Walnut 30 in. diam.

75.00 A Brook 20 links wide. Course S. W. low & rising.

80.00 Set a post cor. to Sec. 17, 18, 19 & 20 from which
 a Sugar 14 in. diam. bears N. 71 W. 19 lks. dist. &
 a Do 18 " " " " S 55 W. 18 " "

Land 1¹/₂ mile Rolling. Last 1/2 level 2nd rate
 Timber. Birch. Oak. Sugar. Ash. Walnut.
 Maple. Hickory. &c. Undergr. Spice & Sugar.

East On Random between Sec. 17 & 20.

32.50 A Brook 10 links wide. Course

40.00 Set a Temp^l gr. Sec. post.

81.00 Intersect the N & S. line 39 links South of the Post.
 Land level inclining to W.

West Corrected between Sec. 17 & 20

40.50 Set a gr. Sec. post at rec. dist. from which

211

T 29 A. R. 8. E. 2nd Mer. Indiana.

an Ash 12 in^s diam. bears S 45 W 21 links dist, &
 a Beech 5 S 48 E 17 . . .
 81. 00 To Sec. Corner.

West Between Secs 18 & 19.

22. 30 A Beech 12 in^s diam.
 30. 00 A Brook 7 links wide. Course S E.
 40. 00 Set a post from which
 a Beech 20 in^s diam. bears S. 8. W 6 links dist, &
 a Sugar 18 " " " N 40 E 23 " "
 55. 45 A B. Ash 15 " "
 82. 50 Intersect the West Boundary 33 links North of
 the Post. Set a post cor. to Secs 18 & 19 from which
 a Beech 10 in^s diam. bears S 35 W 15 links dist, &
 a Sugar 12 " " " N 88 E 29 " "
 Land 2nd rate. Timber as before

North Between Secs 17 & 18

9. 00 A B. Oak 30 in^s diam.
 40. 00 Set a post from which
 an Ash 30 in^s diam. bears S 59 W 15 links dist, &
 a Beech 10 N 12 E 15 . . .
 57. 20 A Sugar 24 in^s diam.
 80. 00 Set a post cor. to Secs 7, 8, 17 & 18 from which
 an R. Oak 24 in^s diam. bears S 63 E 7 links dist, &
 a Sugar 17 " " " N 29 E 19 " "
 Land level 2nd rate, especially the last 1/2 which
 is rich. Timber Beech Sugar Oak Walnut &
 Undergth. Spice. Sugar Beech. Dogwood. &c.

East On Random between Secs 8 & 17.

40. 00 Set a stump of the post
 80. 72 Intersect the N & S line 67 links South of the Post
 Land level & good 2nd rate. Timber Beech Oak
 Ash Hickory. Sugar Poplar Walnut. &c. Undergth
 Spice. Ironwood. Dogwood. Sugar. &c.

T. 29 A. R. & Co 2nd Mer. Indiana

West Corrected between Sec. 18 & 19.

40. 36 Set a gr. Sec. post, from which
 a Beech 18 in. diam. bears S 62 E 5 links dist. &
 a Co 12 " " " N 71 W 29 " "
 80 72 To the Corner.

West Between Sec. 7 & 8

2. 80 a Sugar 20 in. diam.
 40 00 Set a gr. Sec. post from which
 a Oak 30 in. diam. bears N. 82 E 8 links dist. &
 a Beech 6 " " " S 26 W 15 " "
 62. 26 A Hickory 30 in. diam.
 80 82 Intersect the West Boundary 1. 22 links North of Post.
 Set a post corner to Sec. 7 & 8 from which
 a Sugar 12 in. diam. bears S 70 E 29 links dist. &
 a Co 4 " " " South 19 " "
 Land level & 2nd rate, Timber as before

North Between Sec. 7 & 8

14. 80 A Sugar 30 in. diam.
 40. 00 Set a gr. Sec. post from which
 a Beech 5 in. diam. bears N. 60 E 33 links dist. &
 a Beech 20 " " " N. 50 W 35 " "
 51. 34 A Birch 24 " "
 64. 50 A Brook 10 links wide. Course N. W.
 80. 00 Set a Post corner to Sec. 5, 6, 7 & 8 from which
 a Beech 24 in. diam. bears N. 49 W 5 links dist. &
 an Ironwood 6 " " " N. 4 E 17 " "
 Land Rolling & 1st rate, Timber Beech, Sugar,
 Hickory, Ash, Oak, Walnut Elm & Undergrowth
 mostly Spice

East On Random between Sec. 5 & 8

5. 00 A Brook 8 links wide. Course North
 40 00 Set a simple gr. Sec. post.
 80. 27 Intersect the North & South line at Post.

Land rolling 1st rate. Timber &c as before.

- West Corrected between Sec. 5 & 6
40. 13 Set a q. Sec. post at a cor. dist, from which
a Buck 10 in. diam. bears S 89° E 18 links dist, &
a Co. 4 " " " S 104° W 9 " "
- 80 27 To Sec. corner.
-
- West Between Sec. 5 & 7.
- 10 80 An Elm 18 in. diam.
14. 25 A Brook 8 links wide. Course N E.
- 40 00 Set a q. Sec. post from which
a Buck 20 in. diam. bears N 26° E 17 links dist, &
a Buckeye 8 " " " S 56° E 14 " "
48. 00 A Sugar 24 " "
67. 00 A Brook 10 links wide. Course N E.
81. 12 Intersect the West Boundary 204 links North of the
Set a Post cor. to Sec. 5 & 7 from which
an Elm 10 in. diam. bears N. 9 E. 5 links dist, &
an Ironwood 6 " " " N. 75° W. 23 " "
- Land Broken & 1st 1/2 mile 1st rate. last 1/2 2nd rate
Timber. Walnut Elm Buckeye Lym. Ash.
Sugar. Oak &c.

- North Between Sec. 5 & 6 May 24th 1828
13. 30 A Lym 30 in. diam.
40. 00 Set a q. Sec. post from which
a Hickory 10 in. diam. bears S 69° W. 18 links dist, &
a Buck 8 " " " N 20° E 21 " "
67. 00 A Hickory 24 in. diam.
75. 90 Intersect the North Boundary 2.56 links West
of the Post. Set a Post Cor. to Sec. 5 & 6 from which
a Buckeye 9 in. diam. bears S 12° E 27 lks. dist, &
a Buck 12 " " " N 74° E 10 " "
- Land level. 1st 1/2 mile poor. last 1/2 2nd rate. Timber
Oak Ash Hickory. & Undergth. Sugar. & Poplar

T 29 N. R 8 E 2nd Mer. Indiana

Var. 5° 10' E

Surveyed by
John Hendricks, D.S.

Pursuant to a Contract dated Jan^y 29th 1828 with instructions from Edward Jeffin Surveyor General of the United States; I have surveyed & subdivided into Sec^s the foregoing Township in the State of Indiana as described in said Contract And I certify that the foregoing are correct & true ~~copies~~ Field Notes of the lines which they purport to be, as part of said Contract

Certified this 24th day of July 1828

John Hendricks
Dep^y Surveyor

I Certify that the foregoing transcript of the Field Notes of Township No. 29 North of Range No 8 East of the 2nd Mer. in the State of Indiana has been compared with the original notes in this Office and found to be correct.

Surveyor General's Office
Cincinnati, April 22. 1845

William Johnston
Suff. Gen^l